

PIPEBOSS

MOVE SMARTER. WORK SAFER

Much more than a piece of equipment- it's a safety first, risk reducing solution that pays for itself in injury prevention, regulatory compliance and operational efficiency



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE



Specification

Dimension

Height 1550mm
Width 775mm
Length 1015mm (min)
1400mm (max)
Weight 420kgs

Transport Skid

Length 1650mm
Width 800mm
Height 1900mm
Weight 150kgs (empty)

Monitor size

Power supply required 12V
Monitor size 10 inch

Dimensions packed on skid

Height 1900mm
Width 800mm
Length 1650mm
Weight 570kgs

Alignment tool

Min Pipe Dia 450 Dia/270mm
Max Pipe Dia 880 Dia/525mm
Colapsed length 1686mm
Extended length 2500mm
Battery 12 Volt
Weight 17kgs

Total shipping weight

570kgs



Operating specs

Min Pipe size NB 225mm (280mm OD)
Maximum pipe size NB 750 (925mm)
Hitch pin diameter 80mm Dia (standard fit custom available on request)
Hitch pin PCD 460mm (standard fit custom available on request)
Hydraulic operating pressure-restricted internally
Battery 12volt
Maximum lifting capacity 3000Kgs

www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE



Features at a glance



**Control the Job
(Alignment)**



Laser alignment tool



**Safety and risk
reduction (Safety)**



**Impact
absorbing/insulating
rubber pads**



**Controlled Strength
(Grip)**



Fully adjustable Jaw



**Control from the cab
(Visuals from cabin)**



Transportable



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE



Control the Job (Alignment)

Operator controls the precision of the pipe placement and alignment from the cab of his machine.



Safety and risk reduction (Safety)

From loading and unloading trucks to pipe placement, pipe handling with Pipeboss is hands free, eliminating manual handling and the exposure to pinch points and crush injuries, suspended load risks and reduces the need for trench entry.

Pipes can be removed from trench without the use of slings or personnel.

PIPEBOSS allows pipes to be cleaned out, to remove soil or contaminants, directly with the machine without physical labour.



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE



Controlled Strength (Grip)

With adjustable jaws securely locking the pipe in place, Pipeboss grip force allows lateral movement for placing and seating pipe, providing the operator with complete control. A pressure indicator is included on the screen in the operators cab.



Control from the cab (Visuals from cabin)

Machine operators can view all 4 strategically placed cameras directly from their cabin, providing the operator with complete control when handling pipe, even without direct line of sight. While 2 monitor the lift externally, 2 provide internal views and laser targeting when using the Pipeboss alignment tool.



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE



Laser alignment tool

PIPEBOSS laser alignment tool shown here in place uses dual cameras and laser targets mounted at each end of the tool, allowing the operator to see the internal alignment of the pipe and its matching O ring. This is essential when installing pipe, without the worker needing to be in the trench.



Impact absorbing/insulating rubber pads

With 6 high density rubber insulating pads in contact with the pipe, Pipeboss eliminates potential pipe damage while providing increased control when handling pipe, reducing time lost to repairs and rework.



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE




Fully adjustable Jaw

Pipeboss has been designed and built to be quickly adapted to pipe dimensions ranging from 200mm to 925mm. This is easily done by hand, adjusting both jaws via the bolted connections and control bars.



Transportable

PIPEBOSS is easily stored and transported on its customised transport skid which includes lifting options for forklifts and cranes. Incorporated is a lockable cabinet for the pipe alignment tool and associated accessories.



www.pipeboss.com.au

Call Us: 0416304824 - Glen Duncan

Email: sales@pipeboss.com.au | support@pipeboss.com.au

PIPEBOSS
MOVE SMARTER. WORK SAFER

AUSTRALIAN MADE




PIPEBOSS

MOVE SMARTER. WORK SAFER

0416304824 - Glen Duncan

www.pipeboss.com.au

sales@pipeboss.com.au | support@pipeboss.com.au



AUSTRALIAN MADE